

KX-TVA50

Voice processing System, up to 6 ports, up to 8 hours voice storage

Technical Specs

Line Capacity (ports)	2, expandable to 6
Voice Storage	up to 4 hours, expandable up to 8 hours
Automated Attendant Service	Yes
Call Screening	Yes
Live Call Screening	Yes
Remote Live Call Screening (DPITS only)	Yes
Callback Number Entry	Yes
Caller ID Name Announcement	Yes
Caller ID Personal Greeting	Yes
Caller ID Call Routing	Yes
Covering Extension	Yes
Custom Service	Yes
Direct Mailbox Access	Yes, DPITS and APIT only
Email Integration	Yes
Enhanced Message Notification	Yes
External Message Delivery	Yes
Fax Detection	Yes
Holiday Service	Yes
Intercom Paging	Yes, DPITS and APIT only
Interview Service	Yes
Voice Mail Service	Yes
Dialing Method	DTMF
Flash Time	100/300/600/900 msec (programmable)
CPC Detection	None/6.5/150/300/450/600 msec (programmable)
Extension Numbering	2-5 digits (programmable)
Pause Time	100ms to 9900ms
Message Waiting Lamp	Yes
Main CPU	32-bit microprocessor
System Recording Time	up to 4 hours (expandable to 8)
Number of Mailboxes	Max. 64 boxes
Number of Messages	unlimited
Personal Greeting Message Length	up to 360 sec.
System Message Retention Time	1-30 Days, or unlimited (programmable)

Maximum Message Length	1-60 min. or unlimited (programmable)
Telephone Line	Modular connector (RJ-11C) (2 conductor wire)
Data Port	USB, LAN or Modem
Power Source	AC 120V, 60 Hz
Two-Way Record	Yes, DPITS and APIT only
Two-Way Transfer	Yes, DPITS and APIT only
Automatic Configuration	Yes, DPITS and APIT only
Dial by Name	Yes
Group Delivery	Yes
Message Transfer (with or without comments)	Yes
Day/Night Service	Yes
Voice Prompts	Yes
System Reports	Yes
Multilingual Service	Yes
Remote Call Forwarding Set ³	Yes
Activity Reports	Mailbox Information, Call Account, Port Usage, HDD Usage, Mailbox Usage, Fax Call, Call Handling Statistics, Custom Service, Message Status, Subscriber Setup, Security Information, Hourly Statistics and Email
Greeting, After Hours	Yes
Greeting, Busy	Yes
Greeting, No Answer	Yes
Internal Message Delivery	Yes
Mailbox Name	Yes
Mailbox Password	Yes
Message Delivery Status	Yes
Message Reception Mode	Yes
Message Erase	Yes
Message Fast Forward	Yes
Message Pause	Yes
Message Playback	Yes
Message Repeat	Yes
Message Rewind	Yes
Message Save	Yes
Message Scan	Yes
Message Skip	Yes
New Message Notification	Yes

Play Previous Message	Yes
Private Messages	Yes
Reply to Subscriber(s)	Yes
Time and Date Stamp	Yes
All Calls Transferred to Mailbox	Yes
Alternate Extension Transfer Sequence	Yes
Auto Message Move/Copy	Yes
Broadcast Message	Yes
Call Blocking	Yes
Call Transfer Status	Yes
Class Of Service	Yes
Clock Synchronization with PBX	Yes
Coverage Mode, Busy	Yes
Coverage Mode, No Answer	Yes
Daylight Saving Time Assignment	Yes
Department Dialing	Yes
External Message Delivery Status	Yes
Fax Management	Yes
Fax Transfer	Yes
Group Distribution Lists, Personal	Yes
System Groups Mailbox	Yes
Hold Call	Yes
Mailbox, General Delivery	Yes
Mailbox, Guest	Yes
Mailbox, Interview	Yes
Mailbox, Message Manager	Yes
Mailbox, Subscriber	Yes
Mailbox, System Manager	Yes
Message Waiting Notification, Continuous	Yes
Message Waiting Notification, Outdial	Yes
Message Waiting Notification, Pager	Yes
Message Waiting Notification, Scheduled	Yes
Multiple Company Greetings	Yes
Operator Service, Day/Night	Yes
Recordable System Prompts	Yes
Rotary Telephone Service	Yes

Service Access Commands	Yes
System Clock	Yes
System Prompts After Personal Greeting	Yes
Unlimited Message Length	Yes
Digital Integration	Yes
In-band Integration	Yes
PC-based Programming	Yes
Quick Set-up	Yes
System Manager Administration	Yes
Utility Commands	Yes
Voice Mail Menu	Yes, with KX-TDA with LCD proprietary telephone only
Remote Change of Company Greeting	Yes
Built-In Modem for Remote Maintenance	Yes, optional
Spanish Prompts	Yes
Dimensions (H x W x D)	7.87" x 14.57" x 12.21"
Weight	6.91 lbs